

Thus all that remains is to consider rectangles with dimensions $m \geq n$ with $5 \geq n$. The cases where $5 \geq m$ are listed in Table 1 (left), and we can confirm that solutions leaving at most 9 cells uncovered are possible for all such dimensions. Packings for each subcase of $m \geq 6$ are considered separately. In each subcase, we can pack nets in such a way that at most 5 and 7 cells are uncovered at the right and left end of the rectangle, respectively, for a total of at most $12 < 14$ cells uncovered. \square

We next consider lower bounds on the number of uncovered cells.

Theorem 2 *Let $m, n \in \mathbb{N}$. If $\{m, n\} \notin \{\{1, 1\}, \{1, 2\}, \{1, 3\}\}$, then any packing of nets of the cube into a $m \times n$ rectangle leaves at least 4 uncovered cells.*

Proof sketch. The proof is done again by case analyses by the board sizes.

For $m \times n$ with $m \geq n \geq 2$ and $m \geq 6$, we have the claim by carefully constructing such packing patterns. We here remark that the value 4 is incurred by four corners of a rectangle, that is, packing a corner by a net leaves at least one uncovered cell and no net can cover two corners simultaneously for sufficiently large boards.

For $m \times n$ with $5 \geq m \geq n \geq 2$, verification using BurrTools proves that $m \times n$ rectangles can be packed with cube nets leaving at least 4 cells uncovered, as we can see in Table 1 (left). \square

3 Bicubes

Similarly to the cube, we obtained the following facts by exhaustive enumerations with computer programs.

Fact. There is a unique bicube ($1 \times 1 \times 2$), and it has 723 distinct nets. There are two tricubes ($1 \times 1 \times 3$ and L-shape), and the $1 \times 1 \times 3$ tricube has 15087 distinct nets.

The first question is if nets of the bicube can exactly pack a rectangle, and surprisingly we can do it.

Theorem 3 *There is a rectangle that can be exactly packed by nets of the bicube.*

Proof. The proof is by demonstration, seen in Figure 1. The surface area of the bicube is 10, and here a 20×26 rectangle is exactly packed by using 52 nets, which come from 11 distinct (up to symmetry) nets. \square




Figure 1: A 20×26 rectangle exactly packed by nets of the bicube.

4 Discussion

We discuss about the cube case. Odawara [4] gave a following observation.

Observation. For boards of sizes 7×7 or larger, the number of uncovered cells ranges from 6 to 11.

It turns out that we proved that it ranges from 4 to 14 for boards of any size $m \times n$ of $m \geq n \geq 2$, which is stronger results in some sense, while the values of 6 and 11 of the range in the observation are still effective. We pose the following new conjecture.

Conjecture. For $6 \times 6k$ board, the number of uncovered cells is 12 (exactly $6k - 2$ nets are packed).

References

- [1] S. W. Golomb. *Polyominoes (2nd edition)*. Princeton University Press, 1994.
- [2] T. Inoha, Y. Inoue, T. Ozawa and Y. Uno. Packing developments of cubes. In *Proc. 20th Japan Conference on Discrete and Computational Geometry, Graphs and Games*, 2017.
- [3] T. Inoha, Y. Inoue, T. Ozawa and Y. Uno. Packing developments of cubes: a proof of the theorem. Manuscript, 2017.
- [4] M. Odawara. <http://www.torito.jp/puzzles/hako047.shtml>, 2008 (last accessed June, 2018).
- [5] A. Röver. BurrTools. <http://burrtools.sourceforge.net/> (last accessed June, 2018).